<u>Investor Relations</u> <u>Responsibility</u>


ibility Whistle Blowing System (https://www.beraucoalenergy.co.id/whistle-blowing-system/)

Contact us (https://www.beraucoalenergy.co.id/contact/)



Operations

PT Berau Coal, the main operating subsidiary of the Company, owns a 108,900 ha mining concession area located in the Berau Regency, approximately 300 kilometers north of Samarinda, the capital city of the East Kalimantan province.



(https://www.beraucoalenergy.co.id//wp-content/uploads/konsesi.jpg)

Lati

From the Lati mine the coal is blended to produce the brands of Agathis and Sungkai. Total mineable coal resources delineated in Lati to-date are in excess of 465 million tonnes.

The coal is extracted using hydraulic excavators and loaded into dump trucks. From the mine it is transported over an all weather haul road, a distance of some 11 kilometres to the coal processing plant. The coal is crushed blended and placed onto stockpiles. It is then loaded into barges.

Mining Process Activity

Lati Mine



(https://www.beraucoalenergy.co.id//wp-content/uploads/lati-mine.jpg)

Binungan

From the Binungan mine the coal is blended to produce the brands of Ebony and Mahoni/Mahoni-B.

Total mineable coal resources delineated to-date in Binungan Blocks 1-4, Block 5, 6 & 7 are in excess of 1.954 million tonnes.

Mining is similar to that of Lati. From the mine the coal is transported to the curshing plan a distance of some 2.5 kilometres.

The coal is curshed, blended and loaded into trucks. From there it is transported over on all weather road, a distance of 28 kilometres, to the Suaran coal terminal where it is blended into the product stockpile. It is then loaded into barges.

Binungan Mine



(https://www.beraucoalenergy.co.id//wp-content/uploads/binungan-mine.jpg)

Sambarata

From the Sambarata mine the coal is blended to produce the brand of Ebony.

Total mineable coal resources delineated to-date in Sambarata are in excess of 213 million tonnes.

Mining is similar to that of Lati and Binungan.

From the mine coal is transported to the coal processing plant a distance of some 2.0 kilometres. The coal is crushed blended and placed onto stockpiles. It is theen loaded into barges.

Sambarata Mine



(https://www.beraucoalenergy.co.id//wp-content/uploads/sambarata.jpg)

Berau Coal Energy (https://www.beraucoalenergy.co.id/) © 2022

Home (https://www.beraucoalenergy.co.id/) Our Brand (https://www.beraucoalenergy.co.id/our-profile/)
Our Commitment (https://www.beraucoalenergy.co.id/our-commitment/) Contact us (https://www.beraucoalenergy.co.id/contact/)
Investor Relations (https://www.beraucoalenergy.co.id/investor-relations/) Bahasa Indonesia (https://www.beraucoalenergy.co.id/)